

Indiana State Police Clandestine Laboratory Occurrence Report

This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date: 07/31/2014

Street: Scatterfield Rd. & 59th St.

Incident #: 14ISPC006409

Apt, Lot, Room #: N/A

County: Madison

City: Anderson

Type of Laboratory Seizure (check one)

- ☐ Lab Seizure
☒ Chemical Seizure
☐ Equipment Seizure
☐ Dumpsite Seizure

Seizure Location (check all that apply)

- ☐ Residence ☐ Hotel/Motel
☐ Outbuilding ☐ Open – No Structure
☒ Vehicle ☐ Business
☐ Other: _____

Apt., hotel, multi-family dwelling: Shared HVAC: ☐ Yes ☐ No ☐ Unknown

Items Found: Location (bedroom, kitchen, open air, etc) (check all that apply)

- ☐ One Pot or Birch Reaction(s): _____
☐ Red Phosphorous/Iodine Reaction(s): _____
☐ Hydrochloric Acid Gas Generator(s): _____
☐ Flammable Solvents: _____
☐ Water Reactive Metal (Lithium): _____
- ☐ Anhydrous Ammonia: _____
☐ Corrosive Acid: _____
☒ Corrosive Base: Vehicle
☐ Ammonium Nitrate/Sulfate: _____
☐ Other (item and location): _____

Child under age 18 discovered (check appropriate)

- ☐ Yes _____ (number present)
☒ No
☐ Children not present but evidence they reside
or visit often

Living conditions of home: ☐ clean ☐ disarray
☒ unclean
Estimated length of time manufacturing had been
occurring: _____
Additional Information: _____

Vehicle, Travel Trailer, RV or Watercraft Information:

Owner: Patrick L. Wethington
VIN: 1GNDS13S782260417
Year: 2008

Make: Chevrolet
Model: Trailblazer
Color: Black

This report has been faxed* or emailed to the following agencies that serve the location:

Fire Department: Anderson FD Fax: 765-648-6625
Health Department County: Madison Fax: 765-646-9203
Department of Child Services Hotline: dcshotlinereports@dcs.in.gov Fax: 317-234-7595 or 317-234-7596

For further information regarding this methamphetamine laboratory, contact

Investigating Officer: Thomas Harbison Phone (765) 778-2121

*This form is to be faxed to the Fire Department, Health Department and/or Department of Child Services listed within 24 hours of scene processing.